

**EKSPLUATĀCIJAS ĪPAŠĪBU DEKLARĀCIJA N. CPR-IT1/0740**

- 1) Unikāls produkta tipa identifikācijas kods: **STABILCEM**
- 2) Paredzētais pielietojums: **Cementa bāzes enkurošanas sastāvs betona stiprināšanai, iestrādājot tērauda stiegrojumu (armatūru)**
- 3) Ražotājs: MAPEI S.p.A. – **Via Cafiero, 22 – 20158 Milan – Italy - [www.mapei.it](http://www.mapei.it)**
- 4) Sistēma AVCP: **Sistēma 2+  
Sistēma 4, ugunsdrošības noteikšanai**
- 5) Vienotais standarts: EN 1504-6:2006

Izpildinstitūcijas: **Izpildinstitūcija nr. ICMQ S.p.A. Nr. 1305, veikusi sākotnējo ražotnes un ražošanas kvalitātes kontroles un uzraudzības pārbaudi, novērošanu un novērtēšanu un ir izsniegusi rūpnīcas ražošanas kontroles atbilstības sertifikātu.**

- 6) Deklarētās veiktspējas īpašības:

| Būtiskākie raksturlielumi           | Ekspluatācijas īpašības             |
|-------------------------------------|-------------------------------------|
| <b>Izkustēšanās pie izraušanas:</b> | <b>≤ 0.6 mm pie 75 kN noslodzes</b> |
| <b>Hlorīda jonu saturs:</b>         | <b>≤ 0,05 %</b>                     |
| <b>Uguns reakcija:</b>              | <b>Klase A1 / A1<sub>FL</sub></b>   |
| <b>Bīstamas sastāvdaļas:</b>        | <b>Sk. SDS</b>                      |

- 7) Atbilstoša tehniskā dokumentācija: ugunsdrošības klase deklarēta bez nepieciešamības pārbaudīt saskaņā ar Komisijas Lēmumu 96/603 / EK un vēlākiem grozījumiem.  
Organisks materiāls <1% no masas.
- 8) REACH informācija: informācija, kas minēta 31. pantā vai attiecīgā gadījumā REACH Regulas (EK) Nr. 1907/2006 un turpmākie grozījumi ir norādīti drošības datu lapā, kuru MAPEI ievietojis tīmekļa vietnē kopā ar šo spēkā esošo Ekspluatācijas deklarāciju.

Augstāk norādītā produkta veiktspēja atbilst deklarētajām īpašībām.

Šī ekspluatācijas īpašību deklarācija ir izsniegta saskaņā ar Regulu (ES) Nr 305/2011, ar pilnu iepriekš norādītā ražotāja atbildību.

Parakstīts ražotāja vārdā: **Lorenzo Martino** –Korporatīvā Kvalitātes Vadība

**Milāna, 22/05/2019**

.....

EĪD PDF formātā ir pieejamas Mapei mājas lapā

|                   |                         |
|-------------------|-------------------------|
| <b>Pārskats 0</b> | <b>Pirmais izdevums</b> |
|-------------------|-------------------------|

|                                                                                                                                                                                       |                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>1305                                                                                             |  <b>MAPEI</b><br>Via Cafiero, 22 – 20158 Milano (Italy)<br><a href="http://www.mapei.it">www.mapei.it</a> |
| <b>19</b><br><b>CPR-IT1/0740</b><br><b>EN 1504-6</b><br><b>STABILCEM</b><br><i>Anchoring cementitious product for strengthening concrete by installing reinforcing steel (rebars)</i> |                                                                                                                                                                                            |
| Pull-out displacement:                                                                                                                                                                | ≤ 0,6 mm at load of 75 kN                                                                                                                                                                  |
| Chloride ion content:                                                                                                                                                                 | ≤ 0,05 %                                                                                                                                                                                   |
| Reaction to fire:                                                                                                                                                                     | Class A1 / A1 <sub>FL</sub>                                                                                                                                                                |
| Dangerous substances:                                                                                                                                                                 | See SDS                                                                                                                                                                                    |

**Piezīme:**

MAPEI nodrošina šo pielikumu kopā ar EĪD, lai atvieglotu CE marķējuma skaidrojumu starptautiskajiem klientiem. Pievienotais CE marķējums var būt nedaudz atšķirīgs, salīdzinot ar to, kas norādīts uz attiecīgā iepakojuma vai dokumentācijas, jo:

- Dēļ grafiskā pielāgojuma uz iepakojuma vai izmantotās drukāšanas metodes,
- Dēļ valodu atšķirības (viens iepakojums vairākām valstīm),
- produkts ir jau krājumā uz brīdi, kad tiek ieviests CE marķējuma atjauninājums,
- Drukas kļūdas dēļ.

**DECLARATION OF PERFORMANCE N. CPR-IT1/0740**

- 1) Unique identification code of the product-type: **STABILCEM**
- 2) Intended uses: **Anchoring cementitious product for strengthening concrete by installing reinforcing steel (rebars)**
- 3) Manufacturer: **MAPEI S.p.A. – Via Cafiero, 22 – 20158 Milan – Italy - [www.mapei.it](http://www.mapei.it)**
- 4) Systems of AVCP: **System 2+**  
**System 4 (for reaction to fire)**
- 5) Harmonized standards: **EN 1504-6 :2006**

Notified bodies: **the notified body ICMQ SpA, N. 1305, performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control and issued the certificate of conformity of the factory production control.**

- 6) Performances declared:

| Essential characteristics     | Performances                      |
|-------------------------------|-----------------------------------|
| <b>Pull-out displacement:</b> | <b>≤ 0,6 mm at load of 75 kN</b>  |
| <b>Chloride ion content:</b>  | <b>≤ 0,05 %</b>                   |
| <b>Reaction to fire:</b>      | <b>Class A1 / A1<sub>FL</sub></b> |
| <b>Dangerous substances:</b>  | <b>See SDS</b>                    |

- 7) Appropriate Technical Documentation: reaction to fire class declared without the need for testing according to the Decision of the Commission 96/603/EC and following amendments.  
Organic material <1% by mass.
- 8) REACH information: the information referred to Article 31 or, as appropriate, to Article 33 of the REACH Regulation (EC) no. 1907/2006 and following amendments are indicated in the safety data sheet that MAPEI makes available on the website along with this current Declaration of Performance.

The performance of the product identified above is in conformity with the set of declared performances.

This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Lorenzo Martino – Corporate Quality Management**

**Milan 22/05/2019**



*DoP in Pdf format are available in the Mapei website.*

|                          |                    |
|--------------------------|--------------------|
| <b>Revision 0 notes:</b> | <b>First issue</b> |
|--------------------------|--------------------|

**STABILCEM**  
**CE MARKING**  
*Annex to DoP N. CPR-IT1/0740*



|                                                                                                                                                                                       |                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>1305                                                                                             |  <b>MAPEI</b><br>Via Cafiero, 22 – 20158 Milano (Italy)<br><a href="http://www.mapei.it">www.mapei.it</a> |
| <b>19</b><br><b>CPR-IT1/0740</b><br><b>EN 1504-6</b><br><b>STABILCEM</b><br><i>Anchoring cementitious product for strengthening concrete by installing reinforcing steel (rebars)</i> |                                                                                                                                                                                            |
| Pull-out displacement:                                                                                                                                                                | ≤ 0,6 mm at load of 75 kN                                                                                                                                                                  |
| Chloride ion content:                                                                                                                                                                 | ≤ 0,05 %                                                                                                                                                                                   |
| Reaction to fire:                                                                                                                                                                     | Class A1 / A1 <sub>FL</sub>                                                                                                                                                                |
| Dangerous substances:                                                                                                                                                                 | See SDS                                                                                                                                                                                    |

**Note:**

MAPEI supplies the current annex along with the DoP to make the consultancy of the CE marking easier for the international clients. The enclosed CE marking can be slightly different compared to the one printed on the relevant packaging or documentation because of:

- graphic adaptations due to lack of space on the packaging or printing methods used,
- different language (the same packaging can be shared by several countries),
- the product is already in stock when the updating of the CE marking is implemented,
- printing mistakes.