

**EKSPLUATĀCIJAS ĪPAŠĪBU DEKLARĀCIJA N. CPR-IT1/0523**

1. Unikāls izstrādājuma tipa identifikācijas numurs: **PLANISEAL 88 (pelēks)**
2. Paredzētais pielietojums: **Pārklājums visu veidu betona virsmu aizsardzībai, novēršot iekļūšanu konstrukcijā un palielinot pretestību**
3. Ražotājs: **MAPEI S.p.A. – Via Cafiero, 22 – 20158 Milan – Italy - [www.mapei.it](http://www.mapei.it)**
4. AVCP sistēmas: **Sistēma 2+**  
**Sistēma 3 (ugunsdrošība)**
5. Harmonizētais standarts: **EN 1504-2:2004**  
Izpildinstitūcijas:  
**ICMQ SpA, N. 1305**  
**MPA Dresden GmbH, N. 0767**
6. Deklarētā veiktspēja:

<b>Raksturojums</b>	<b>Veiktspēja</b>
<b>Ūdens tvaiku caurlaidība:</b>	<b>Class I</b>
<b>Kapilārā uzsūktspēja un ūdens caurlaidība:</b>	<b>&lt; 0,1 kg*m-2*h<sup>-0,5</sup></b>
<b>Adhēzijas stiprība pārbaudot ar atraušanas testu:</b>	<b>≥ 2,0 N/mm2</b>
<b>Ugunsdrošība:</b>	<b>Klase E</b>
<b>Bīstamās vielas:</b>	<b>see SDS</b>

Augstāk minētā produkta veiktspēja ir saskaņā ar deklarētajām īpašībām.

Šī ekspluatācijas īpašību deklarācija izsniegta saskaņā ar Regulas (EU) No 305/2011 prasībām, augstāk minētais ražotājs ir atbildīgs par sniegtās informācijas patiesīgumu.



Parakstīts ražotāja vārdā: **Lorenzo Martino – Koorporatīvā Kvalitātes vadība**

Milāna, **09/11/2022**

Informācija par REACH: informācija, kas minēta 31. pantā vai, attiecīgi, 33. pantā Regulā (EK) Nr. 1907/2006 un sekojoši grozījumi ir norādīti drošības datu lapā, kuru MAPEI dara pieejamu tīmekļa vietnē kopā ar jaunāko Ekspluatācijas īpašību deklarāciju

*EID PDF formātā ir pieejamas Mapei mājas lapā*

*1.pārskata piezīmes: Produkts nav mainīts, atjaunināts DoP izkārtojums*

 1305, 0767	 Via Cafiero, 22 – 20158 Milano (Italy) www.mapei.it
<b>15</b> <b>CPR-IT1/0523</b> <b>EN 1504-2</b> <i>PLANISEAL 88 (pelēks)</i> <b>Pārklājums visu veidu betona virsmu aizsardzībai, novēršot iekļūšanu konstrukcijā un palielinot pretestību</b>	
<b>Ūdens tvaiku caurlaidība:</b>	<b>Klase I</b>
<b>Kapilārā uzsūktspēja un ūdens caurlaidība:</b>	<b>&lt; 0,1 kg*m-2*h<sup>-0,5</sup></b>
<b>Adhēzijas stiprība pārbaudot ar atraušanas testu:</b>	<b>≥ 2,0 N/mm<sup>2</sup></b>
<b>Ugunsdrošība:</b>	<b>Klase E</b>
<b>Bīstamās vielas:</b>	<b>skat DDL</b>

**Piezīme:**

MAPEI nodrošina šo pielikumu kopā ar EID, lai atvieglotu CE marķējuma skaidrojumu starptautiskajiem klientiem. Pievienotais CE marķējums var būt nedaudz atšķirīgs, salīdzinot ar to, kas norādīts uz attiecīgā iepakojuma vai dokumentācijas, jo:

- Dēļ grafiskā pielāgojuma uz iepakojuma vai izmantotās drukāšanas metodes,
- Dēļ valodu atšķirības (viens iepakojums vairākām valstīm),
- produkts ir jau krājumā uz brīdi, kad tiek ieviests CE marķējuma atjauninājums,
- Drukas kļūdas dēļ.

**DECLARATION OF PERFORMANCE N. CPR-IT1/0523**

- 1) Unique identification code of the product-type: **PLANISEAL 88 (grey)**
- 2) Intended uses: **Coating for intended use in concrete surface protection by moisture control and increasing resistivity**
- 3) Manufacturer: **MAPEI S.p.A. – Via Cafiero, 22 – 20158 Milan – Italy - www.mapei.it**
- 4) Systems of AVCP: **System 2+**  
**System 3 (for reaction to fire)**
- 5) Harmonized standards: **EN 1504-2:2004**  
  
Notified bodies: **ICMQ SPA, N. 1305**  
**MPA Dresden GmbH, N. 0767**

- 6) Performances declared:

Essential characteristics	Performances
<b>Water vapour permeability:</b> <b>Capillary absorption and permeability to water:</b> <b>Adhesion strength by pull-off test:</b> <b>Reaction to fire:</b> <b>Dangerous substances:</b>	<b>Class I</b> <b>&lt; 0,1 kg/m<sup>2</sup> h<sup>0.5</sup></b> <b>≥ 2,0 N/mm<sup>2</sup></b> <b>Class E</b> <b>NPD</b>

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) no. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Lorenzo Martino – Corporate Quality Management**

**Milan, 09/11/2022**





*REACH information: the information referred to Article 31 or, as appropriate, to Article 33 of the REACH Regulation (EC) No 1907/2006 and following amendments are indicated in the safety data sheet that MAPEI makes available on the website along with this current Declaration of Performance*

*DoP in Pdf format are available in the Mapei website.*

<b>Revision 1 notes:</b>	<b>Product unchanged, updated DoP layout</b>
--------------------------	--

**PLANISEAL 88 (grey)**  
**CE MARKING**  
*Annex to DoP N. CPR-IT1/0523*



 1305, 0767	 Via Cafiero, 22 – 20158 Milano (Italy) www.mapei.it
<p style="text-align: center;"> <b>15</b>  <b>CPR-IT1/0523</b>  <b>EN 1504-2</b>  <b>PLANISEAL 88 (grey)</b>  <i>Coating for intended use in concrete surface protection by moisture control and increasing resistivity</i> </p>	
Water vapour permeability: Capillary absorption and permeability to water: Adhesion strength by pull-off test: Reaction to fire: Dangerous substances:	Class I $< 0,1 \text{ kg/m}^2 \text{ h}^{0.5}$ $\geq 2,0 \text{ N/mm}^2$ Class E NPD

**Note:**

*MAPEI supplies the current annex along with the DoP to make the consultancy of the CE marking easier for the international clients. The enclosed CE marking can be slightly different compared to the one printed on the relevant packaging or documentation because of:*

- *NPD (No Performance Determined) values can be omitted by the CE marking*
- *graphic adaptations due to lack of space on the packaging or printing methods used,*
- *different language (the same packaging can be shared by several countries),*
- *the product is already in stock when the updating of the CE marking is implemented,*
- *printing mistakes.*