

EKSPLUATĀCIJAS ĪPAŠĪBU DEKLARĀCIJA No: CPR-NO1/0073

- Unikāls izstrādājuma tipa identifikācijas numurs: **50UV-T**
- Tipa, partijas vai sērijas numurs vai kāds cits būvizstrādājuma identifikācijas elements, kā noteikts 11. panta 4. punktā: **Cementa bāzes enkurošanas java betona pastiprināšanai**
- Būvizstrādājuma paredzētais izmantojums vai izmantojumi saskaņā ar piemērojamo saskaņoto tehnisko specifikāciju, kā paredzējis ražotājs: **Betona pastiprināšana ēkām un civilās būvniecības darbos instalējot tērauda stiegrojumu**
- Ražotāja nosaukums, reģistrētais komercnosaukums vai reģistrētā preču zīme un kontaktadrese, kā noteikts 11. panta 5. punktā: **MAPEI AS – Vallsetvegen, 6 – 2120 Sagstua (Norway) www.mapei.no**
- Vajadzības gadījumā tā pilnvarotā pārstāvja vārds un kontaktadrese, kura pilnvaras attiecas uz 12. panta 2. punktā nosauktajiem uzdevumiem: **Nav piemērojams**
- Ekspluatācijas īpašību noturības novērtējuma un pārbaudes sistēma vai sistēmas, kā noteikts V pielikumā:
Sistēma 2+
Sistēma 4, uguns noturības noteikšanai
- Gadījumā, ja ekspluatācijas īpašību deklarācija attiecas uz būvizstrādājumu, kuram ir saskaņotais standarts: **Izpildinstitūcija nr. 1071 Sintef Building and Infrastructure veikusi sākotnējo ražotnes un ražošanas kvalitātes kontroles un uzraudzības pārbaudi, novērošanu un novērtēšanu, saskaņā ar sistēmu 2+ un ir izsniegusi rūpnīcas ražošanas kontroles atbilstības sertifikātu No. 1071– CPD – 1684.**
- Gadījumā, ja ekspluatācijas īpašību deklarācija attiecas uz būvizstrādājumu, kuram ir izdots Eiropas tehniskais novērtējums: **Nav piemērojams**
- Deklarētās ekspluatācijas īpašības

Būtiskie raksturlielumi	Ekspluatācijas īpašības	Saskaņota tehniskā specifikācija
Izkustēšanās pie atraušanas:	≤0.6 mm pie noslodzes 75 kN	EN 1504-6:2006
Hlorīda jonu saturs:	≤ 0.05%	
Uguns noturība	A1	
Bīstamas sastāvdaļas	Skatīt DDL	

- Pielikuma 1. un 2. punktā norādītā izstrādājuma ekspluatācijas īpašības atbilst 9. punktā norādītajām deklarētajām ekspluatācijas īpašībām.

Par šo izdoto ekspluatācijas īpašību deklarāciju ir atbildīgs vienīgi 4. punktā norādītais ražotājs.

Parakstīts ražotāja vārdā:

Trond Hagerud – Managing director

(vārds, uzvārds, amats)

Sagstua, 01/07/2013

(izdošanas vieta un datums)

(paraksts)

CE MARKING according to CPR 305/2011 and EN 1504-6:2006

 1071	 Vallsetvegen 6, 2120 Sagstua (Norway) www.mapei.no
12 CPR-NO1/0092 EN 1504-6:2006 50UV-T Paredzēts tērauda armatūras stieņu enkurošanai Noturība pret izraušanu: izkustēšanās ≤ 0.6 mm pie noslodzes 75 KN Hlorīdu jonu saturs < 0.05 % Uguns noturība: Eiroklase A1 Bīstamas sastāvdaļas: Skat. DDL	

Declaration of performance: No. CPR-NO1/0073

1. Unique identification code of the product-type: **50UV-T**
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR: **ANCHORING OF REINFORCING STEEL BAR PRODUCT**
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Intended to be used as anchoring of reinforcing steel bar in buildings and civil engineering works

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5): **MAPEI AS – Vallsetvegen, 6 – 2120 Sagstua (Norway) www.mapei.no**
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2): **Not applicable**
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:
System 2+
System 4 for reaction to fire

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

The Notified Body Sintef Building and Infrastructure No. 1071 performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control, under system 2+, and issued the certificates of conformity of the factory production control No. 1071-CPD-1684.

8. In the case the declaration of performance concerning a construction product for which a European Technical assessment has been issued: **Not applicable**
9. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Pull out strength: Chloride ion content: Reaction to fire: Dangerous substances:	Displacement ≤ 0.6 mm at load of 75 kN $\leq 0.05\%$ A1 See SDS	EN 1504-6:2006


10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by: **Trond Hagerud – Managing Director**

Sagstua, 01/07/2013

.....
(place and date of issue)


(signature)

CE MARKING according to CPR 305/2011 and EN 1504-6:2006

 1071	 Vallsetvegen 6, 2120 Sagstua (Norway) www.mapei.no
12 CPR-NO1/0073 EN 1504-6:2006 50UV-T Intended to be used as anchoring of reinforcing steel bar in buildings and civil engineering works Pull out strength: displacement $\leq 0,6$ mm at load of 75 KN Chloride ion content $\leq 0,05$ % Reaction to fire: Euroclass A1 Dangerous substances: See SDS	